

Experience a new height of efficiency

The ECOSYS MA4000wifx series adapts to your challenges.



ECOSYS MA4000wifx

ECOSYS MA4000fx

ECOSYS MA4000x

ECOSYS PA4000wx

ECOSYS PA4000x

With the ECOSYS MA4000wifx series you get:

- Speedy A4 print to 40 pages ppm.
- 5GHz Wireless LAN featuring Wi-Fi Direct support.
- Reduced operating costs with cutting-edge, durable technology.
- Easy-to-use design ideal for installation in compact spaces.
- Performance improvement by changing the controller system
 - Improve printing performance for PDF data
 - Improve the number of continuous scanning pages
 - Improve scanning speed for duplex documents



Evolution of ECOSYS

ECOLOGY - Providing energy-saving, silent design and compact design, realize top-class environment support in the industry.

ECONOMY - Providing lower CPP and longer life-time design, enhance TCO competitiveness.

SYSTEM - Provide reliable machines by assuring compatibility with the legacy machines / improvement of stable operation / adding the function of streamlining duties

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



Improved features for daily tasks

Enhance printer visibility

5-line LCD panel makes it larger and easier to see. It also makes it easy to type using the numeric keypad.



* Available on PA4000wx/PA4000x models.

Capturing A6-sized documents

The duplex automatic document feeder enables quick scanning of A6 payment slips, delivery notes, and invoices for same-day digital processing, enhancing workflow efficiency.



Multiple cropping

Equipped with a multi-crop function* that allows you to scan multiple documents at once by arranging them on the platen (glass surface). Receipts and business cards can be efficiently converted into electronic data.

* Only available on ECOSYS MA4000wifx (compatible with HyPAS model)
* An additional HyPAS application and SD card are required.



Scan up to 10 sheets at once



Autosave by page or file

Simple Installation

Add "Wi-Fi Easy Setup" to the "Network Selection" section of the initial setup wizard to assist users unfamiliar with MFPs. This feature allows Wi-Fi configuration through the "Kyocera Printer Setup Tool" on computers or mobile devices, removing the need for USB cables or the WPS button. It is also accessible in the system menu.



*This is a sample QR code.

Secure Your Business

Guards against malware and prohibit the execution of unknown programs, while mitigating security risks with document information leakage prevention.



+ Keep your system updated

Your equipment is monitored 24/7, and firmware updates are automatically applied remotely to keep it current and secure*.

* KFS(KYOCERA Fleet Services) or Service Contract is required.

+ Watermark Printing


Watermark printing is visible only on copies, distinguishing originals from duplicates and protecting against information leaks.

+ Prevents unauthorized software interference

Harmful programs like viruses can't function without the necessary permissions, preventing infections and allowing you to use the machine worry-free.

+ Restrict access

Enhance printer security by configuring the IP filter to restrict access to your network and block unauthorized users.



Streamlining Business Process

The MA4000wifx is compatible with HyPASTM, a Kyocera-developed software platform that expands your MFP's core capabilities with powerful customisation.



+ KYOCERA MyPanel
Remote control designated KYOCERA printing devices by smartphone or tablet.



+ KYOCERA Net Manager*
Control sensitive documents and reduce printing costs.




+ KYOCERA Mobile Print
Conveniently print files, web pages and images using smartphone or tablet.



+ Kyocera Cloud Print and Scan*
Models not using the HyPAS platform can still connect to KCPS, allowing users to access features like cloud scanning, cloud printing, user management, and print management.

* KYOCERA Net Manager and Kyocera Cloud Print and Scan are paid solution.



Simplify Document Workflow


These highly productive monochrome multifunctionals support business workgroup of all sizes by packing power and productivity in a small footprint. They deliver flexibility, high level of functionality and advanced reliability while reducing environmental impact which make them ideal for workgroups seeking for superior performance.



A4 Monochrome Multifunction Printers



A4 Monochrome Printers



Superior Functions

Standard Document Processor
Support Dual Scan and
A6 Duplex Scan
(e.g. A6 Bank Slip)

4.3-inch touch LCD panel*
With built-in HyPAS technology

* Only available on
ECOSYS MA4000wifx

Speedy A4 copy/print

Up to 40 cpm



High Flexibility

Handle max. 850 sheets
Multi-Purpose Tray x1;
Standard Paper Feeder x1;
PF-1100 Paper Feeder x2
(Optional)


Easy-to-use

Smart Design

Prevent envelop wrinkles,
paper jam; and
easy jam clearing

Compact Size

Small footprint to fit inside
office space





Eco-friendly

Long life design

Enhances resource conservation by using a long-life drum, reducing the need for frequent replacements and accumulation of discarded components.



Eco-friendly Packaging

Through the use of environmentally friendly materials that are easily recyclable, we have improved the cushioning and packaging durability of both the main unit and toner using innovative techniques.



Improved Quietness

By reviewing the cooling structure, quietness during machine operation has been further improved, allowing it to not interfere with the work in a quiet office. In addition, "Quiet mode" can provide an even more comfortable experience.



52dB (A)

Improved Sleep Mode Power Consumption

Equipped with the latest controller to reduce power consumption during sleep and contribute to energy saving.

*For ECOSYS MA4000wifx series: 0.4W;
ECOSYS PA4000wx series: 0.3W




0.4 W



0.3 W

Energy-efficient design.

The upgraded planar heater fuser is now optimized for compatibility with monochrome medium-speed machines, improving its efficiency in converting electrical energy into thermal energy and resulting in superior energy-saving performance.



Main Specifications					
Model	ECOSYS MA4000x		ECOSYS MA4000fx		
Main Function	Copy, Print, Scan, Fax (ECOSYS MA4000fx/MA4000wifx only)				
Processing Method	Laser exposure dry electrostatic transcription				
CPU	ARM Cortex A53 single 1.0GHz				
Print Speed (A4) (Mono)	40 ppm				
Scanning Speed (A4) Simplex/Duplex (Mono/Color)	300dpi 600dpi	Simplex (Mono/Color): 40ipm/23ipm, Duplex(Mono/Color): 80ipm/46ipm Simplex (Mono/Color): 18ipm/7ipm, Duplex(Mono/Color): 36ipm/14ipm			
Memory	Standard 1GB (Max. 1GB)		Standard 2GB (Max. 2GB)		
Warm Up Time	19 seconds		29 seconds		
Paper Capacity	Standard Maximum	250 sheets (Cassette) + 100 sheets (MPT) 850 sheets (Main Unit + 250 sheets PF-1100 x2 + MPT)			
Paper Size	Cassette Option MPT	Min. A6R - Max. A4 (Legal) Min. A6R - Max. A4 (Legal) Min. 70mm x 148mm - Max. A4 (Legal)			
Paper Weight	Cassette Option MPT	60 - 163 g/m ² 60 - 163 g/m ² 60 - 220 g/m ²			
Duplex Printing	Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m ²				
Output Capacity	Max. 150 sheets face-down				
Control Panel	5 lines LCD (128(W) x 64(H) Dot display)		4.3 inch Color Touch LCD Panel		
Document Processor	Standard (Max. 50 sheets one-path duplex scanning Type)				
Dimension (W x D x H) (Main Unit)	417mm x 412mm x 437mm				
Weight (Main Unit)	Approx. 19.0kg *excluding the toner container				
Power Consumption (Standard configuration)	Copy/Print Mode Stand-by Mode Energy Saver	574.4 W 10.8 W 0.4 W	11.8 W		
Noise (ISO7779/ ISO9296)	Copy/Print Mode Stand-by Mode	52dB(A); Quiet Mode: 48dB(A) 29dB(A)			
Copy Functions (Standard)					
Copy Size	Min. 100mm x 148mm - Max. A4 (Legal)				
Resolution	600 x 600 dpi				
First Copy Time (Mono/Color)	6.4 seconds or less				
Zoom Ratio (Manual)	25% - 400% (1% per Step)				
Multiple Copy	1 - 999				
Print Functions (Standard)					
Resolution	300 x 300 dpi, 600 x 600 dpi, Fast1200, Fine1200				
PDL/Emulations	PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, Line Printer, IBM Proprinter, Epson LQ-850, PDF Direct Print				
First Print Time	6.4 seconds or less				
Interface	USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1,000BASE-T; USB Host Interface (USB Hostx1); 802.11b/g/n/ac/Wireless LAN/WiFi Direct (ECOSYS MA4000wifx only)				
Network Printing	TCP/IP, FTP, LPR, Port9100, NetBEUI, Apple Bonjour				
E-mail printing	Data printing of E-mail received data Data format : PDF, PS, Text, TIFF, JPEG, XPS, OpenXPS				
Secure printing	IPP over TLS				
Mobile Printing	AirPrint, Mopria, KYOCERA Mobile Print, KYOCERA MyPanel				
Scan Functions (Standard)					
Send Size	Min. 50mm x 50mm - Max. A4 (Legal)				
Resolution	600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi, 1200x1200dpi (Only TWAIN driver and WIA driver)				
File Format	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG/High-compression PDF), PDF/A				
Image Type Mode	Text, Photo, Text + Photo, Light text + Fine line, Text (for OCR)				
Transmission Type	Scan to SMB; Scan to E-mail ; Scan to FTP or FTP over TLS; Scan to USB; TWAIN Scan; WSD Scan, WIA Scan				
Address Storage	300 addresses (Common address list), 50 groups (Group address list)				
Fax Functions (Optional*)					
Original Size	Min. A6R - Max. A4 (Legal)				
Coding Method	MMR, MR, MH,JBIG				
Transmission Speed	33.6 kbps				
Transmission Time	3 sec. or less				
Network FAX	Yes				
Consumables & Options					
Toner Kit (Page Yield in accordance with ISO/ IEC 19752)	TK-1275 (7,200 pages) TK-1285 (12,000 pages)				
Capacity of Start up Toner	3,600 pages				
Maintenance Kit	MK-1265 (70,000 pages) (Except Taiwan, Korea, Philippines)				
Paper Feeder	PF-1100: 250 sheets (Max. x2)				
Card Authentication	Card Authentication Kit(B)				

* Fax function only available on ECOSYS MA4000fx and MA4000wifx models.

Main Specifications		
Model	ECOSYS PA4000x	ECOSYS PA4000wx
Type		Desktop
Processing Method		Laser exposure dry electrostatic transcription
Print Speed (A4) (Mono)		40 ppm
First Print Time		6.4 seconds or less
Warm Up Time		15 seconds
Resolution		300 x 300 dpi, 600 x 600 dpi, Fast1200, Fine1200
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m ²
Control Panel		5 lines LCD (128(W) x 64(H) Dot display)
Power Consumption (Standard configuration)	Copy/Print Mode	555.9 W
	Stand-by Mode	6.0 W
	Energy Saver	0.3 W
Noise (ISO7779/ ISO9296)	Copy/Print Mode	52dB(A); Quiet Mode: 48dB(A)
	Stand-by Mode	29dB(A)
Dimension (W x D x H) (Main Unit)		375mm x 393mm x 272mm
Weight (Main Unit)		Approx. 14.0kg *excluding the toner container
Controller		
CPU		ARM Cortex A53 single 1.0GHz
Memory		Standard 512MB (Max. 512MB)
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1,000BASE-T; USB Host Interface (USB Host)x1; 802.11 b/g/n/ac/ Wireless LAN/WiFi Direct (ECOSYS PA4000wx only)
PDL/Emulations		PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, Line Printer, IBM Proprinter, Epson LQ-850, PDF Direct Print
Network Printing		TCP/IP, FTP, LPR, Port9100, NetBEUI, Apple Bonjour
E-mail printing		Data printing of E-mail received data Data format : PDF, PS, Text, TIFF, JPEG, XPS, OpenXPS
Secure printing		IPP over TLS
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print, KYOCERA MyPanel
Paper Handling		
Paper Capacity	Standard	250 sheets (Cassette) + 100 sheets (MPT)
	Maximum	850 sheets (Main Unit + 250 sheets PF-1100 x2 + MPT)
Paper Size	Cassette	Min. A6R - Max. A4 (Legal)
	Option	Min. A6R - Max. A4 (Legal)
	MPT	Min. 70mm x 148mm - Max. A4 (Legal)
Paper Weight	Cassette	60 - 163 g/m ²
	Option	60 - 163 g/m ²
	MPT	60 - 220 g/m ²
Output Capacity		Max. 250 sheets face-down
Consumables & Options		
Toner Kit (Page Yield in accordance with ISO/ IEC 19752)		TK-1265 (7,200 pages)
Capacity of Start up Toner		3,600 pages
Maintenance Kit		MK-1265 (70,000 pages) (Except Taiwan, Korea, Philippines)
Paper Feeder		PF-1100: 250 sheets (Max. x2)
Card Authentication		Card Authentication Kit(B)



KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road,
Tsuen Wan, N.T., Hong Kong
Tel : +852-2496-5678 / Fax: +852-2610-2063

www.kyoceradocumentsolutions.asia